

TENDER FORMAT
TENDER FOR PURCHASE OF EQUIPMENTS FOR
MIZORAM POLICE

1. NAME OF THE FIRM : _____
2. CORRESPONDENCE ADDRESS
WITH TELEPHONE AND FAX NO : _____
3. LOCAL ADDRESS WITH TELEPHONE
AND FAX NO. : _____
4. WHETHER REGISTERED WITH NSIC
/ DGS&D IF YES ATTACH COPY : _____
5. GST REGISTRATION & GST
CLEARANCE CERTIFICATE : _____
6. COPY OF AUTHORISED DISTRIBUTOR
/ DEALERSHIP/MANUFACTURER : _____
7. SPECIFICATIONS OF THE SYSTEM
ALONGWITH LITERATURE/BROCHURE: _____
8. APPLICATION FEE : _____
9. EARNEST MONEY DETAIL : _____
10. COPY OF TERMS AND CONDITION
DULY SIGNED : _____

SIGNATURE OF THE TENDERER
WITH STAMP.

**GOVERNMENT OF MIZORAM
POLICE HEADQUARTERS : AIZAWL**

No.B.13011/PHQ/PROV/TENDER/25-26/25 : Dated Aizawl, the 21th October, 2025

TENDER NOTICE NO. 1 of 2025-26

Sealed tenders are invited in two-bid system, i.e. Technical Bid and Price/ Commercial bid by the undersigned from the manufacturers/authorized distributors for purchase of following item(s) through registered post or these can be put personally in the sealed tender box kept in the Provisioning Branch of the office of the Director General of Police, Mizoram, Aizawl.

Sl. No.	Name of items	Application fee	Earnest money
1.	Equipment for Mizoram Police	₹ 1500/- (Non-refundable)	2 % of the quoted value <i>In case of Small Scale Industries of Mizoram it will be 1% of the quoted value.</i>

TERMS & CONDITIONS

The specifications of required items are enclosed with this notice. Tenderers are advised to quote their Rate after careful study of the tender specifications as well as the following terms and conditions:-

1. The tenders should reach the office of Director General of Police latest by **1200 hrs on 17.11.2025.**
2. Tender envelope(s) must be sealed and super-scribed "**TENDER FOR EQUIPMENT FOR MIZORAM POLICE**" and Name of tenderer & Address at bottom left of the envelope which shall be addressed to Director General of Police, Mizoram.
3. Envelope for the bid shall contain the following :-
 - (i) TECHNICAL BID containing sealed envelopes for each items. The word "**TECHNICAL BID for Equipment for Mizoram Police due to open on 17.11.2025 at 1:00 PM**" shall be prominently marked on the top of the envelope.
Separate Technical, quality, performance aspects, commercial terms & conditions (Technical data) for each item as per Annexure II should be sealed and are to be put in the bigger envelope i.e. Technical Bid. Name of item shall be marked on the top of each envelope.
 - (ii) PRICE BID containing separate sealed envelope for each item. The word "**PRICE BID for equipment for Mizoram Police**" shall be prominently marked on the top of the envelope.

Separate Financial bid for each item as per Annexure III should be sealed and are to be put in the bigger envelope i.e. Price Bid. Name of item shall be marked on the top of each envelope.

- (iii) A copy of terms and conditions duly signed by the tenderer, as a token of acceptance of the same should be attached along with the tender.
 - (iv) **Proof of their manufacturing/authorized dealership/distributorship. This is subject to verification if necessary.**
 - (v) Copy of self – attested GST registration indicating GST number or documentary evidence in case of exemption.
 - (vi) Earnest Money Deposit in the form of Account Payee Demand Draft, Fixed Deposit Receipt, Banker's Cheque or Bank Guarantee from any of the Commercial Banks in favour of Director General of Police, Mizoram payable at Mizoram. No interest will be given on E.M.D. No tender will be accepted without requisite E.M.D. as mentioned in tender notice.
 - (vii) Duly filled up check list as per Annexure IV.
 - (viii) The declaration that bidder has not been blacklisted by any Govt. agency within Mizoram and abroad during last 5 years. The tender will be rejected straight way without assigning any reasons if the firm is found involved in any criminal case, declared blacklisted by any Govt. / Semi Govt. department/agencies etc.
4. The TECHNICAL BIDS will be opened first on **17.11.2025 at 1:00 PM** and the PRICE BIDS of only those bids which have been found technically acceptable after scrutiny of technical bid and technical/quality evaluation of the items will be opened for which date & time will be notified accordingly.
 5. The tenderer can remain present himself or his authorized representative at the time of opening of tender.
 6. The application fee is non-refundable. In case the firm fails to attach the receipt / demand draft of application fee, the tender shall be rejected.
 7. Incomplete tender/conditional tenders will not be accepted.
 8. The bidder must have functional service centre and documentary evidence of having functional service centre must be submitted. Dedicated/toll free telephone number for service support should be attached.
 9. All SSI units registered with NSIC/DGS&D for this item as per specification are exempted from the EMD. They have to enclose valid registration document/ exemption certificate with their tender. Bid security will not be required to be taken from Undertakings, Corporations, Autonomous bodies, Registered Societies, Cooperative Societies which are controlled/managed by Government, Government Undertakings and Companies of Union Government and Government of Mizoram. However, a Bid Securing Declaration will be taken from them.

10. The Bid security taken from a bidder shall be forfeited in the following cases, namely:- (a) when the bidder withdraws or modifies his bid after opening of bids; (b) when the successful bidder fails to deposit the Performance Security after fifteen days of the issue of offer of contract; (c) when the successful bidder fails to sign the Contract in accordance with Bidding Document; (d) to adjust any dues against the bidder from any other contract with the Procuring Authority; (e) if the bidder breaches any provision of code of integrity prescribed for bidders in rule 64 of Mizoram Public Procurement Rules, 2020 and Rule 175 of GFR 2017.
11. Tenderer would not be permitted to alter or modify their bids after expiry of the deadline for receipt of bids.
12. The quoted price must be inclusive of all taxes and other charges, etc. No claim for taxes/charges will be entertained at a later stage. Nothing over and above the quoted price would be payable to the successful bidder. Tenderer must quote the net price both in words as well as in figures. Any over writing/cutting, etc. render the tender invalid.
13. The firm whose rates are accepted will have to deposit 5% of the total cost of the item as Performance Security in the forms of (a) Banker's Cheque of a scheduled bank (b) Bank guarantee (C) Fixed Deposit Receipt of a Scheduled Bank before the supply order is placed to the firm. Performance security should be deposited within 21 days from the date of issue of Letter of Acceptance. Formal award of contract is to be issued only after receipt of the prescribed Performance Security.
14. Performance security shall remain valid for a period of 60 days beyond the date of completion of all contractual obligations of the supplier/contract. In case, the firm does not complete the supply within the delivery period, **liquidated damage charges will be charged @ 2% of total cost per month of the item and action will be taken to blacklisting the firm and forfeiture of its Security Money. No interest will be given on Security Money.**
15. In case the firm fails to deposit the performance security money within the stipulated time, the EMD of the firm will be forfeited.
16. The Purchase Committee, in order to satisfy itself can order on the spot enquiry to verify the soundness & capability of the item and any other information given by the tendering firms.
17. The Purchase Committee reserves the right to relax any terms and condition in the Government interest, with the approval of competent authority. The Purchase Committee reserves the right to reject any tender or all tenders without assigning any reasons thereof.
18. The rates will be valid till supply of the item is completed, in all respect.
19. The rates will be F.O.R. at Aizawl - 796001.
20. In case the firm fails to supply the item within stipulated delivery period, the item will be procured from the open market, if so desired by Purchase Committee and the difference of cost, if any, will be recovered from the Security Money and pending bills of the defaulting firm, by calling explanation after issuing notice.

21. The quantity of the items mentioned in the tender notice can be increased or decreased upto twenty five percent without any change in the unit price or other terms and conditions of the bid and bidding documents, at any stage till the delivery of consignment is completed.
22. The payment will be made on receipt/acceptance of store in good condition as per prescribed specification. No advance payment will be made. No claim for interest in case of delayed payment will be entertained by the Department.
23. All disputes are subject to the jurisdiction of the Courts in Aizawl.
24. In case of violation of any clause of contract/agreement deed, the explanation of the firm can be called by issuing show cause notice. If the reply is not found satisfactory, Security Money can be forfeited as well as action for blacklisting can also be taken prior to taking any legal action.
25. Foreign Companies shall participate in the tender, only through their Distributors / Agent in India. No foreign company shall be entertained directly.
26. In case of any differences, the firm can be called for negotiation to patch up the differences on table prior to approaching court.
27. The bidder should carry a warranty/guarantee of subjected store for a period of at least one year.


(VANLALFAKA RALTE) AIGP (Mod.)
for Director General of Police
Mizoram, Aizawl.

No.B.13011/PHQ/PROV/TENDER/25-26/25 : Dated Aizawl, the 21th October, 2025
Copy to :-

1. The Director, I&PR for publication in the newspaper. Gist of the tender enclosed herewith for publish in 2 (two) leading local newspaper for 2 consecutive days.
- ✓ 2. In-Charge, Mizoram Police Website for information and necessary action.
3. Notice Board.


(VANLALFAKA RALTE) AIGP (Mod.)
for Director General of Police
Mizoram, Aizawl.

ANNEXURE I

TECHNICAL SPECIFICATIONS

Sl. No.	Item	Qty.	Minimum technical specification required
1.	Electronic Stethoscope	2 nos.	- Should be light weight and portable. - Should detect sounds through solid materials like bricks, walls, glass, wood packing materials etc. - The amplification of sound be of order of minimum 5×10 to the power of 5 at a minimum distance of 15 cms. (Firms to furnish certificate from international reputed lab). - Search head should not be affected by loud noise in the surroundings. - Power supply should have options of rechargeable batteries at 230 V DC. - The sensitivity should be very high with options to optimize it by adjustment for gain and frequency control. - The system should have both contact and non contact sensors. - Operating time should be of the order of :- - Contact Sensor - 15 hrs. (minimum) - Non contact sensor - 05 hrs. (minimum) - The system should be able to cover frequency band from 300 Hz to 5.5 KHz (Firms to furnish certificate from international reputed lab). - Operating temperature should be from -15° C to $+55^{\circ}$ C (Firms to furnish certificate from international reputed lab). - The kit should be shock proof, splash resistant and packed in a robust carrying case with spare battery pack, battery charger and connecting cable. - Mechanical and electronic timers (quarts, digital movement of second/minute hand) to be detected.

2.	Fibre Optics Surveillance Device	1 no.	1. Probe Dia / Type : 6mm Flexible Tungsten Braided 2. Camera Sensor : CMOS 3. Probe Length : 1M, 2M, 3M 4. Camera Resolution : 1 Megapixel 5. Field of view/Direction: 75° / Forward 6. Depth of Field : 50mm – infinity 7. Lens : Wide angle >1.8m m 8. Illumination : Dual Light, White light & Eye-Safe iR light guided by fiber optic glass, iR 940 nm 9. Lamp Life : 20,000 hrs. 10. Articulation : 4-way Joystick controlled 11. Display Type : 5" TFT LCD, IP65 12. Display Resolution : 1024 x 768 Px 13. Frame Rate : 30 FPS 14. Mic : Built-in Microphone 15. AV Output : HMDI 16. Waterproof : IP67 Probe & Camera 17. Zoom : 8x Digital Zoom 18. Storage : 32 GB Micro SD card (Up to 128 GB) 19. Operating Temperature: -20° to 60° 20. Image/Video : JPG/MP4 21. Relative Humidity : Maximum 95%, non condensing 22. Battery : 3350 mAh x 2 Li-ion Rechargeable Battery 23. Power : DC 5V, 100-240 VAC, 50/60 Hz 24. Carry Case : Hard Carry Case - Accessories : Card Reader, Manual, HDMI Cable, Power Adapter, Battery Charger, Stand
3.	Real Time Viewing System	1 no.	1. Handheld Real Time Viewing System is a compact portable X-Ray machine that can be carried in a backpack by a single individual and is designed to take digital 16-bit X-Ray image on the spot to locate power source, mechanism, detonator, explosive materials etc. in any concealed suspicious boxes/enclosure items. The Hand-Held Real Time Viewing System should have a compact Imager, X-Ray Source, Hand held tablet and Accessories as per below mentioned specifications

2. Imager :

- i. Imaging Area should be minimum 30 cm X 35 cm.
- ii. Maximum width of imager size should not exceed 2.5 cm.
- iii. Bipod imager holder to be provided to hold the imager
- iv. Imager should be flat panel detectors of solid-state x-ray digital radiography using amorphous silicon or Linear detector array or better.
- v. Image Area Position: 8 mm or less from ground level.
- vi. Imager weight: Less than 5 Kg +15% with rechargeable battery.
- vii. Dynamic Range / Bit Depth of the Imager should be True 16 bit or better.
- viii. Image quality should of high quality with high 16-bit resolution or better.
- ix. Imager should have inbuilt wireless data transfer.
- x. Seamless wireless connection from Imager to control/ display unit.
- xi. Continuous working time of the Imager not less than 4 hrs.
- xii. The Imager and X-Ray generator to be IP 53 rated or better.
- xiii. User friendly to use.
- xiv. The system should facilitate ROV and Tripod mounting facility.

3. X-Ray Source :

- i. The X-Ray source should be Pulsed or constant potential X-Ray
- ii. Source.
- iii. The X-Ray source should not have any radioactive material.
- iv. Penetration: Should be able to penetrate minimum 25 mm of stainless steel/tool steel.
- v. The X-Ray source should be of 100 KVP or more energy.
- vi. The weight of X-Ray source with battery should be less than 6.5 Kgs.
- vii. Less X-Ray dose safe for use as certified by AERB.
- viii. The X-Ray source to be remotely operable through wireless option with only small connector from X-Ray Source to the ruggedized MIL STD 810 G/ Lemo connector of the wireless module.
- (viii) The X-Ray Source to be operated

			with standard commercially available rechargeable batteries in open market. OEM should give undertaking for the same. ix. The system should facilitate ROV and Tripod mounting facility. x. The X-Ray source must enable Dual energy mode 4. Display Unit : i. The display unit should be ruggedized tablet of MIL Std 810 G with minimum 10" screen size with HD daylight-readable with Intel Core i5 or latest processor, 8 GB RAM, 256 GB SSD Hard Disk, latest Operating System and USB connectors ii. The display unit should be completely touchscreen for easy operation. iii. The display unit weight with battery to be less than 1.5 Kgs. iv. The display unit should be working on normal windows operating system. v. The display unit should be IP53 or better. 5. System Accessories : i. Communication: Efficient Wireless data transfer. The wireless range should be minimum 200 meters (line of sight) without repeaters between imager and display unit and wireless data transfer between imager and x ray source. ii. Continuous working stand by time not less than 4 hours. iii. 110- 220V AC Battery Charger for the Display Unit (Tablet), X-Ray Source and imager along with spare to be provided with each equipment iv. Provision of separate charging facility of Imager, X Ray Generator and Control/ display Unit simultaneously. v. The operating manual should be provided with each equipment. vi. The system should also operate on wired facility, 30-meter wire to be provided by the firm with option to extend the length with suitable Mil Grade connectors, in case of requirement. The weight of wire is excluded from total weight of the system vii. The display unit should come with the software having the following features :-
--	--	--	---


			a) Software which allows for taking just one image and enhancing both the easy to penetrate and difficult to penetrate objects on the same image showing everything with just one touch and highlighting all the threats. b) Image enhancement, 800% Zoom, Visual Data Base including picture name, time, Date & description and annotations. c) Split screen capabilities, Audible and Visual warning during X-Ray activation. d) Window Leveling, sharpening of images, Tilting/Rotation of an image and on-screen measurement facility, etc. e) Software up gradation: Feature for Software Up gradation should be available. f) The software should provide image stitching facility. g) Operational weight: Overall operational weight of equipment including back pack, spare batteries and charger should not exceed 25 kgs. 6. Misc : a) OEM to provide Manufacturer Recommended List of Spares along with self-declaration certificate. b) OEM to provide technical literature and maintenance manual. c) OEM to provide all Complete Equipment Schedule, (CES) items. 7. Training : a) OEM authorised firm to provide operator level training for operation. b) OEM authorized firm to provide operator level training for repair and maintenance of the equipment. 8. Packaging : Ruggedized carrying case as per Mil std 810 G to be provided for storage and transportation
4.	Blast Inhibitor	1 no.	1. Construction of Bomb Inhibitor could be either single piece or modular type of assembling. 2. Should be portable by maximum two men and easy to install. 3. Should have strong and comfortable handles for lifting. 4. Should be able to reduce blast damage upto 80%

			minimum. - Should be able to reduce fragmentation damage upto 80% minimum. - Capable of eliminating fire risk upto 80% minimum - Able to retain blast effect of minimum 1.5 Kgs of explosive (RDX/TNT) - Able to retain shrapnel's for investigation. - Able to retain forensic evidence - Permit taking X-Ray of device even through the inhibitor. - Permit effective firing of disruptor through the inhibitor. - Should allow sniffer dogs to sniff. - Firm should be able to provide 02 x items for trial.
5.	Render Safe Procedure Tool Kit	1 no.	- Doctor Stethoscope. - BP Handle 6"+ 1" WITH bp Blade set. - Scissors 6", 7", 8"+ 1" - Dental Mirrors 6"+ 1", 10"+ 1" - Scalpe 18"+ 1" - Artery Forceps 6", 7", 8", 9", 9"+ 1" - Torch with two pencil cells. - Torch medium with two cells. - Hammer sledge and ball pane (2Kg+10%) with claw hammer. - Pipe wrench 10"+ 1". - Hand vice Grip 6"+ 1" - Magnifying Glass. - Nipper Cutter. - Tin Cutter. - Nose plier. - Knife 80 mm Blade. - C Clamp 4"+ 1" - Spanner Adjustable 15 mm + 5 mm. - Spanner Adjustable 30 mm + 5 mm. - Hack Saw 7"+ 1" blade set. - Screw Driver set consisting of :- - Flat blade Width 2 mm + 1 mm - Flat blade Width 4 mm + 1 mm - Flat blade Width 6 mm + 1 mm - Flat blade Width 8 mm + 1 mm - Flat blade Width 10 mm + 1 mm - Flat offset blade Width 6 mm + 1 mm - Flat offset blade Width 7 mm + 1 mm - Flat offset blade Width 10 mm + 1 mm - Crosspoint 75 mm + 10 mm - Crosspoint 150mm + 10 mm - Crosspoint 200 mm + 10 mm - Crosspoint 250 mm + 10 mm - Hand drill with drill bit set. - Spanner 10 piece metric set. - Spanner 10 piece imperial set.

- | | | | |
|--|--|--|--|
| | | | <ol style="list-style-type: none"> 25. Soldering iron 6" with soldering paste and solder wire 50 gms. 26. Sponge holder 10"+1" 27. Can opener 6"+1" 28. Tape Cello 29. Tape black 30. Tape paper 31. Punch 5"+1" 32. Cold chisel 6"+1" 33. Cold chisel 8"+1" 34. Screw driver set (watch maker) 35. Screw driver alignment 36. Super glue adhesive 37. Pliers cutter with grip long point nose 38. Pliers cutter / grip combination 39. Pliers flat jaw 40. Pliers round jaw 41. Cutter side with measuring instruments 160mm + 10mm 42. Cutter side 120mm + 10mm 43. Fish line with hook 44. Tweezers 45. Probe (Straight angular) 46. Wire bush 47. Swiss Army Knife 48. Tape measuring 120mm + 10mm 49. Non metallic probe 50. Hand gloves 51. Fire extinguisher (BCF Type) 600 gm + 100 gm 52. Bar lever spike & cranked chisel ends 445 mm. 53. Bar level cranked form & wedge end 260 mm ± 10 mm. 54. Square driver socket set. 55. Pick 560 mm ± 10 mm head. 56. Pry bar. 57. Thermal cutter. 58. Shovel round nose. 59. Folding ladder(optional-subject to requirement of the user) <ol style="list-style-type: none"> (a) Should be made of ruggedized material. (b) Should be foldable and capable for storage in a backpack. (c) Minimum length 12 feet. (d) Minimum width 1 foot. (e) Weight – maximum 15 kgs. (f) Capacity – 85 kgs± 10 kgs. 60. Miscellaneous : The firm should be able to provide the following, as applicable, along with the equipment:- <ol style="list-style-type: none"> (a) Cleaning kit, wherever applicable. (b) User's Hand book. |
|--|--|--|--|

6.	Hook And Line Set	1 no.	(a) Real Assembly 300 mm dia. with handle and should hold the line provided with kit - 2 nos. (b) Line 5.5 mm dia. length 120 m - 2 nos. (c) Pulling handle - 2 nos. (d) Hooks (i) Single plain 12 mm - 2 nos. (ii) Single plain 25 mm - 2 nos. (iii) Single plain 50 mm - 2 nos. (iv) Double plain 25 mm - 2 nos. (v) Double plain 50 mm - 2 nos. (vi) Single Barbed 25 mm - 2 nos. (vii) Single Barbed 50 mm - 2 nos. (viii) Single barbed 12 mm - 2 nos. (ix) Double barbed 25 mm - 2 nos. (x) Double barbed 50 mm - 2 nos. (xi) Spring gate hook - 1 no. (xii) Self locking hook - 1 no. (e) Rod extension 3m - 1 no. (f) Belt sling (i) 7.5 cm - 1 no. (ii) 10 cm - 1 no. (g) Snatch block self opening - 4 nos. (h) Karabiners (i) 12 mm - 2 nos. (ii) 18 mm - 2 nos. (iii) 25 mm - 2 nos. (i) Pistons (i) 50 mm - 6 nos. (ii) 100 mm - 6 nos. (j) Self Adhesive Anchor - 10 nos. (k) Suction pad single and double - Single - 2 nos. - Double - 1 no. (l) Telescopic pole with self locking hook - 1 no. (m) Grips (i) Spring-Max opening of 25 mm - 1 no. (ii) Vice - 1 no. (n) Door stopper (Rubber) - 4 nos. (o) Through wall anchor with ring - 1 no. (p) Rope sling (i) 3 mm diameter and 2 m long - 2 nos. (minimum) (ii) 5 mm diameter and 2 m long - 2 nos. (minimum) (q) Wedge with eye - 2 nos. (r) Screw with eye - 2 nos. (s) Wire sling-1.5 mm-3mm diameter and 2m long - 4 nos. (t) Pocket tool kit - 2 nos. (u) Door way anchor min 700-1100 mm with eyes - 4 nos.
----	-------------------	-------	---

			(v) D shackle at least 13 mm gate and 100 kgs load - 2 nos. (w) Standard snatch block - 2 nos. (x) Ground Anchor - 6 nos. (y) Webbing sling-50mm width and (1m-2m) length - 2 nos. (minimum) (z) Round sling (i) 1 m length - 2 nos. (ii) 3 m length - 2 nos. (iii) 5 m length - 2 nos. (aa) Snatch block heavy duty with swivel - 4 nos. (ab) Splitter ball - 2 nos. (ac) Snatch block, one way lock - 1 no (ad) Fish hook - 2 nos. (ae) Hook 120 mm opening fixed eye - 2 nos. (af) Remote window breaker - 1 no (ag) Seizer lock Jaw 85 mm length 175 mm - 1 no (ah) Tripod lifting capacity minimum 250 kgs& minimum 2 mtr. - 1 no.
--	--	--	--


(VANLALFAKA RALTE) AIGP (Mod.)
for Director General of Police
Mizoram, Aizawl.

ANNEXURE - II

PROFORMA FOR TECHNICAL BID

(Enclose with technical bid)

TENDER FOR PURCHASE OF EQUIPMENTS FOR MIZORAM POLICE

Name of item :

Date of opening.....

Time Hrs.

We _____ hereby certify that we are established manufacturers/authorized representatives of M/s _____ with factories at _____ which are fitted with modern equipment and where production methods, quality control and testing of all materials manufactured or used by us are open to inspection by the representative of the purchaser. We hereby offer to supply the following items as per specifications indicated below :

Sl. No.	Description of work/ item	Unit	Qty.	Make & Model	Technical specifications	Supporting documents
<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>	<i>f</i>	<i>g</i>
1.						
2.						
3.						

It is hereby certified that we have understood all the terms and conditions specified in the tender document and are thoroughly aware of the nature of job required to be done and goods/items to be supplied. We agree to abide by all the tender terms and conditions.

We hereby offer to carry out the job and (or) supply the goods/items detailed above or such portion(s) thereof as you specify in the notification of award.

(Signature and seal of Bidder)

Dated: _____

ANNEXURE - III

PROFORMA FOR PRICE SCHEDULE

(Enclose with commercial bid)

TENDER FOR PURCHASE OF EQUIPMENTS FOR MIZORAM POLICE

Name of item :

Date of opening.....

Time Hrs.

We _____ hereby certify that we are established manufacturers/authorized representatives of M/s _____ with factories at _____ which are fitted with modern equipment and where production methods, quality control and testing of all materials manufactured or used by us are open to inspection by the representative of the purchaser. We hereby offer to supply the following items at the prices indicated below :

Sl. No.	Description of work/ item	Unit	Qty.	Unit Price In Indian Rupees	Extended Price In Indian Rupees	GST in Indian Rupees		Other Govt. Levies, if any (To be specified)	Incidental charges, if any (To be specified)	Price per unit (Column d+g+h+i)	Total Price FOR Destination In Indian Rupees
						%	INR				
<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>	<i>f</i>	<i>g</i>	<i>h</i>	<i>i</i>	<i>j</i>	<i>k</i>	<i>l</i>
1.											

It is hereby certified that we have understood all the terms and conditions specified in the tender document and are thoroughly aware of the nature of job required to be done and goods/items to be supplied. We agree to abide by all the tender terms and conditions.

We hereby offer to carry out the job and (or) supply the goods/items detailed above or such portion(s) thereof as you specify in the notification of award.

(Signature and seal of Bidder)

Dated: _____

CHECK LIST

Sl. No.	Type of Document	Details	Yes / No
A	<u>DOCUMENTS REQUIRED TO BE ATTACHED WITH TECHNICAL BID</u>		
1.	E.M.D. in favour of Director General of Police, Mizoram, Aizawl - 796001	Name of Bank : _____ In the form of _____ amounting to ₹ _____ or Certificate regarding registration with DGS&D, NSIC if claim EMD exemption as the case may be	
2.	GST Registration Certificate	Attach self-attested Copy of GST registration or GST Exemption Certificate as the case may be.	
3.	Authorization letter / certificate	Copy of OEM certificate/authorized distributorship/dealership.	
4.	Signed copy of T&C	Copy of terms and conditions duly signed with seal of the firm, in token of acceptance of terms and conditions.	
5.	Application fee	Receipt or demand draft for who have downloaded from the website as the case may be.	
6.	Declaration	Declaration that bidder has not been blacklisted by any Govt. agency within Mizoram and abroad during last 5 years.	
7.	Service & Support	Documentary proof of having Functional Service Centre. Dedicated/toll free telephone number for service support.	
B	<u>DOCUMENTS REQUIRED TO BE ATTACHED WITH COMMERCIAL/PRICE BID</u>		
1.	PRICE BID shall contain price only and no other documents shall be enclosed with the price bid.		

SIGN. OF TENDERER _____

NAME IN BLOCK LETTERS: _____

FULL ADDRESS : _____

SEAL