

GOVERNMENT OF MIZORAM
POLICE HEADQUARTERS: AIZAWL
EPABX:0389-2333576 (Intercom-216), 0389-2335578(Fax)
Email: aigp2phq@gmail.com

Dated Aizawl, the 28th September, 2026.

TENDER NOTICE

As approved by the Government of Mizoram vide Nos. G-28011/73/2026-HMP dated 25.06.2026 quotations with samples are hereby invited from GST-registered firms for supply of Police uniform items, which are listed and specified in the Annexure to this tender notice.

TERMS & CONDITIONS: -

1. The quotation shall consist of **‘Technical Bid’ and ‘Financial Bid’** as follows.

Technical Bid: It shall include the following documents and information-

- a) Name, address and contact number of the firm.
- b) Name of the items quoted as per the tender notice. Each item/quality offered shall come with 2 (two) samples without fail.
- c) Brand of the items quoted as per the tender notice if the quality is branded.
- d) A copy of **GST Registration Certificate**.
- e) It shall be enveloped properly. The envelope shall bear a superscription, **Mizoram Police Clothing Item -‘Technical Bid 2026-27’**.

Financial Bid: It shall include the following documents and information –

- a) Name and price (in both figure and word) for the items mentioned in Technical bid.
- b) Brand of the items quoted as per the tender notice if the quality is branded.
- c) Name, address and contact number of the firm.
- d) **Earnest Money Deposit** pledged in the name of Director General of Police, Mizoram in the form of Account Payee Demand Draft, Fixed Deposit Receipt, Banker’s Cheque or Bank Guarantee from any of the banks recognized by Government of Mizoram.

The Earnest Money Deposit (EMD) shall be 2% of the total value of the quoted quantities, calculated at the highest rate quoted (if more than one sample is quoted in same item).

However, EMD shall be 1% in case of Small Scale Industries of Mizoram registered under the Mizoram Procurement Preference Policy for Micro and Small Enterprises 2025 or its equivalent. **For this, copy of the Registration Certificate is mandatory.**

The EMD made by unselected bidders will be released soon after final selection of the suppliers. The EMD made by selected bidders will be released only after deposit of the prescribed Performance Security Deposit.

The EMD shall be valid for at least a period of forty-five days beyond the last date of bid submission.

In the event of cancellation of the Tender Notice due to unforeseen circumstances, bidders or their authorized representatives may collect the submitted EMD and samples from Police Headquarters, Khatla,

Aizawl, Mizoram, at their own expense, after an official release order *has* been issued.

- e) The prices quoted by bidders shall include GST, transportation cost and all other charges till delivery to Mizoram Police Central Store, Mualpui, Aizawl, Mizoram – 796005.
- f) It shall be enveloped properly. The envelope shall bear a superscription, **Mizoram Police Clothing Item - 'Financial Bid 2026-27'**.
2. The Technical Bid and the Financial Bid shall be submitted in two separate, properly sealed envelopes. These two sealed envelopes shall then be placed together in a single outer envelope, which shall also be duly sealed. A superscription, **'QUOTATION FOR SUPPLY OF UNIFORM ITEMS FOR MIZORAM POLICE FOR THE YEAR, 2026-27'** shall be given on the envelope and addressed to Director General of Police, Mizoram, Aizawl. The envelope shall then be sealed properly.
3. There shall be no correction or overwriting in the quotation and in all the envelopes. Quotation once submitted shall be final.
4. The quotations shall be evaluated on Two part bids (two envelopes) system and Least Cost System (LCS) will be followed for the final selection.
5. Small Scale Industries of Mizoram registered under the Mizoram Procurement Preference Policy for Micro and Small Enterprises 2025 or its equivalent will be entitled for price preference up to 12 percent over the L1 price if L1 happens to be non-registered enterprise. In case more than one such enterprise qualifies for price preference, then the lowest quoted rate by the MSEs registered under the Policy will be considered and supply order shall be given to such enterprise. This, however, is subject to satisfaction of Bid Evaluation Committee formed under Police Headquarters and final recommendation/approval of DPAB/SPAB.
6. Each quality offered shall come with 2 (two) samples. The samples shall bear the following information on tags firmly attached to them.
 - 1) Name of the firm.
 - 2) Name of the item as it is written in this tender notice (Sample number shall be given if more than one quality are offered for one item)
 - 3) Brand of the quality, if branded.
 - 4) Name of the tenderer.
 - 5) Contact number of the tenderer.
 - 6) Year, i.e., 2026-27.
7. Quotations without complete samples will not be valid.
8. Price for the item shall not be written on the tag attached to the sample.
9. Samples shall conform to the technical specifications given in the Annexure to this tender notice.
10. Samples for clothes shall be at least ½ meter both in length and width and also bear brand, model and code no or code name of the quality, woven along the monogram.
11. Bids for this tender shall be entertained latest by **12:00 noon of 30.10.2026, (Friday) and the Technical Bids will be opened by the Bid Evaluation Committee at 01:00 PM on the same day** at the Multi-Purpose Hall, Police Headquarters, Khatla, Aizawl. Late submissions will not be entertained. The date, time and venue for opening the Financial Bids will be communicated in writing to all technically qualified bidders.
12. The Financial Bids will be opened only for bidders whose samples are approved by the Committee after technical evaluation.

13. The EMD and samples submitted by bidders who are not selected or who do not qualify in the Technical and Financial Bids shall be returned promptly. The date and time for such return will be duly intimated following the Committee's assessment.
14. The Department shall have the right to increase or reduce the quantities mentioned in the Annexure, if necessary or appropriate for any reasons.
15. Selected firms shall have to make **Performance Security Deposit** in favour of Director General of Police, Mizoram at 5% of the total value of the supply contract and submit the same to this office. Without submission of Security Deposit, the Earnest Money Deposit may be forfeited, and Supply Order shall not be issued to them. The selected firms shall have to submit the Performance Security Deposit and obtain Supply Order within 15 (fifteen) days from the date they are informed by any means to do so.
16. If any selected firms withdraw after finalisation of the selection process, they shall be liable to be blacklisted and their deposits forfeited.
17. It shall be binding on the selected firms to deliver all the ordered quantities conforming to the approved qualities to the Mizoram Police Central Store, Mualpui- 796005 within the stipulated time as per the Contract Agreement or Supply Order.
18. The Performance Security Deposit will be returned to the supplier only on satisfaction of this office with the supply.
19. Payment will be made only after receipt and acceptance of the supply. No advance payment will be made. Claim for interest will not be entertained in the event of delayed payment.
20. Collection of samples and rejected supplies shall have to be done by the firms at their own expense within the given period. The Department shall not be responsible for loss or damage if the collection is not done within the given period.
21. Only firms agreeing to the terms & conditions shall bid for this tender. Violation of any of the terms & conditions of this tender notice may result in invalidity of the bid, invalidity of samples, forfeiture of the EMD, forfeiture of the Security Deposit, rejection of supplies or blacklisting of the firms as the case may be.
22. Grievances, if any, shall be decided in Police Headquarters, Khatla, Aizawl, Mizoram only.

/


(LALRINAWMA TRAITE) AIGP (P&L)

for Director General of Police,
Mizoram: Aizawl.

No.D.22012/PHQ/PCS/PUR/2026-27/46
Copy to:-

Dated Aizawl, the 28th Sept, 2026.

1. Sr. SP, MPRO - to be uploaded at the Mizoram Police Website.
2. Under Secretary to the Govt. of Mizoram, Home Department for information.
3. Office Order Book.


(LALRINAWMA TRAITE) AIGP (P&L)
for Director General of Police,
Mizoram: Aizawl.

SPECIFICATION OF PROCUREMENT OF UNIFORM ITEMS FOR THE YEAR 2026-2027

Annexure-1

Sl. No	Item	Quantity	Specification
1.	Anklet Webbed Black	1000 prs.	It should be Black in colour. It should be made of a good quality material. It should have three tightening with brass buckles. The stitching and finishing should also be of good quality. A sample can be seen at Police Headquarters, Aizawl during office hours.
2.	Black Cross Belt	420 nos.	Made of pure black leather with a brass buckle 2" in width and not shorter than 52" in length. Its sling should be adjustable and having brass buckle. 1" in width and 56 " in length. A sample can be seen at Police Headquarters, Aizawl during office hours.
3.	Brown Boot Rubber Sole	1410 prs.	It should be brown in colour, without a toe cap and without a zipper. The upper part should be made of good-quality, soft genuine leather. The boot should have a Thermoplastic Rubber (TPR) sole with at least five pairs of eyelets and brown laces. It should have a good quality insole, soft and well-cushioned leather patch for comfort. It should also have soft padding around the ankle for extra comfort. The inside lining should be made of leather and brushed microfiber/synthetic knitted fabric to provide good breathability and comfort. The boot's total height should be 13 cms, measured vertically from the bottom of the rear sole to the very top of the boot. A leather flap should be provided at the centre of the upper back portion of the boot to allow proper tightening with the laces. A backstay/heel cap should also be provided at the back for extra strength and support. The midsole should be 1 cm thick and the heel should be 3 cms high. A sample can be seen at Police Headquarters, Aizawl during office hours.
4.	Camouflage Monkey Cap	4300 nos.	The cap must have a stiff, flat top and stiff side panels. It must feature a 6 cm front brim and an adjustable tightening strap at the back. There should be 1 inch wide reinforced stitching around the bottom edge of the hat. The overall colour must be the Mizoram Police Woodland Camouflage Pattern. A sample can be seen at Police Headquarters, Aizawl during office hours.
5.	Camouflage Suit	17500 mts.	The fabric must be at least 144 cms wide and the sample should be at least 50 cms in both length and width. It must feature the woven brand name along with the monogram. It must be a Mizoram Police Woodland Camouflage Pattern with a colour combination of Green (18-0125 TCX) = 33.54%, Black (19-3909 TCX) = 26.46%, Brown (18-0933 TCX) = 26.97%. and Beige (15-0719 TCX) =17.14%. The fabric composition should consist of 60% Cotton, 39% Polyester and 2 % Spandex. The GSM must be less than 305. Additionally, the fabric should resist wrinkling and it should not fade easily in terms of shape or colour. A sample can be seen at Police Headquarters, Aizawl during office hours.
6.	Camouflage T-Shirt	4300 nos.	Fabric cotton, black Collared,Front breast pocket on the left with an embroided Mizoram Police Logo (size – 8 cms high and 7 cms wide) on the pocket. The word "POLICE" embroidered in Arial Black font, each letter 4.5 cms in height and the whole word 25.5 cms in length in navy blue colour on the back. Two buttons in the front, Half-sleeved and black ribbing. Mizoram Police Logo can be seen at the Mizoram Police website www.police.mizoram.gov.in. It should be Mizoram Police Woodland camouflage pattern with a colour combination of Green (18-0125 TCX) = 33.54%, Black (19-3909 TCX) = 26.46%, Brown (18-0933 TCX) = 26.97%. and Beige (15-0719 TCX) =17.14%. A sample can be seen at Police Headquarters, Aizawl during office hours.

7.	Jersey Navy Blue	450 nos.	It should be twelve (12) gauge plain knitted, exactly the same colour as wram trouser navy blue for traffic, with a V-neck and long sleeves. An embroidered police badge must be sewn onto the left upper arm. On both shoulders, there should be shoulder epaulettes made of wram trouser navy blue, sewn in from the sleeve base, with a button on each side near the neck for fastening. A sample can be seen at Police Headquarters, Aizawl during office hours.
8.	Jersey of Angola uniform colour	7450 nos.	It shall be made of 12 gauge plain knit fabric and shall be exactly the same colour as the Angola shirt fabric, which is Stone Khaki colour. It shall have a V-neck and long sleeves. An embroidered police badge shall be sewn onto the upper left arm. Both shoulders shall have shoulder epaulettes made of Angola fabric. The epaulettes shall be sewn to the sleeves from the sleeve base and shall have one button on each side near the neck for fastening. A sample may be seen at the Police Headquarters, Aizawl, during office hours.
9.	Khaki Jacket	3250 nos.	It should be Khaki in colour. The collar is like a normal jacket collar, with double stitching on the inside and back of the collar. There are shoulder straps (starboard) on both shoulders starting from the sleeve base, measuring 2 ½ inches wide at the base and ½ inch wide at the tip; these shoulder straps are secured with jacket rapid locks near the collar on both sides. There are flap pockets on both sides of the chest, each with a jacket rapid lock on the flap and a ½ inch box pleat running down the center of each pocket aligned with the rapid lock. There are slanted pockets (60° angle) on both sides of the waist, with a 1-inch wide pocket welt and zippers must be placed inside the pockets so they are not visible from outside. The jacket has a front zipper with a 2-inches wide cover flap and there are rapid locks at the top and bottom ends of this cover flap. There are 5-inches wide fabric patches on both upper sleeves and double stitching runs down the back of the sleeves. There are 2-inches wide cuffs at the ends of the sleeves, each with a jacket rapid lock for fastening. There is a ½ inch wide horizontal piping 5 inches below the back shoulder and double stitching runs vertically down both sides of the back. On the right and left side seams under the armpits, there are straps 3 inches long and 1 ½ inches wide, positioned 1 inch above the bottom edge; these straps have jacket rapid locks with two press buttons for fastening. Additionally, the jacket is lined and has two internal pockets on the right and left sides. A sample can be seen at Police Headquarters, Aizawl during office hours.
10.	Khaki T-Shirt	3250 nos.	It should be Collared and Front pocket on the left chest with embroidered Mizoram Police logo (size-8 cms height and 7 cms width). The word "POLICE" in Arial Black font, each letter 4.5 cms in height and the whole word 25.5 cms in length, embroidered in navy blue colour on the back. Two buttons in the chest opening. Half-sleeved. The colour of the t-shirt should be British Khaki and the fabric composition should consist of 58% cotton, 38% polyester, 4% spandex and should be breathable and knitted fabric. The GSM must be 185. A sample of it and Mizoram Police Logo can be seen at Police Headquarters, Aizawl during office hours.
11.	Leathers Shoes Black	4550 prs.	It shall be derby style formal shoes made of black leather, with a soft inner lining and no toe cap. They shall have at least four (4) pairs of black eyelets with black laces and a Thermoplastic Rubber (TPR) sole. The shoes shall have a good quality insole. The total height from the sole to the top of the shoe shall be 9 ½ cms. The midsole shall be 1 cm thick and the heel shall be 2.5 cms high. A sample may be seen at the Police Headquarters, Aizawl, during office hours.

12.	Navy Blue Jacket	450 nos.	It should be Navy Blue in colour. The collar is like a normal jacket collar, with double stitching on the inside and back of the collar. There are shoulder straps (starboard) on both shoulders starting from the sleeve base, measuring 2 ½ inches wide at the base and ½ inch wide at the tip; these shoulder straps are secured with jacket rapid locks near the collar on both sides. There are flap pockets on both sides of the chest, each with a jacket rapid lock on the flap and a ½ inch box pleat running down the center of each pocket aligned with the rapid lock. There are slanted pockets (60° angle) on both sides of the waist, with a 1-inch wide pocket welt and zippers must be placed inside the pockets so they are not visible from outside. The jacket has a front zipper with a 2-inches wide cover flap and there are rapid locks at the top and bottom ends of this cover flap. There are 5-inch wide fabric patches on both upper sleeves and double stitching runs down the back of the sleeves. There are 2-inches wide cuffs at the ends of the sleeves, each with a jacket rapid lock for fastening. There is a ½ inch wide horizontal piping 5 inches below the back shoulder and double stitching runs vertically down both sides of the back. On the right and left side seams under the armpits, there are straps 3 inches long and 1 ½ inches wide, positioned 1 inch above the bottom edge; these straps have jacket rapid locks with two press buttons for fastening. Additionally, the jacket is lined and has two internal pockets on the right and left sides. A sample can be seen at Police Headquarters, Aizawl during office hours.
13.	Peak Cap Khaki	1800 nos.	The cap shall be khaki in colour and made of gabardine fabric. It shall have a standard total depth of 3.5 inches, a flat top and a curved visor (peak) to provide shade and protection from the sun. The peak shall be curved and stiffened, with a plastic or patent leather underside. There shall be four (4) metal-rimmed holes (eyelets) at the back of the cap for ventilation. A 0.5-inch-wide leather strap shall be securely fastened to two small departmental pattern buttons located just behind the corners of the peak. The strap shall be brown for the Unarmed Branch and black for the Armed Branch. A sample can be seen at Police Headquarters, Aizawl during office hours.
14.	Peak Cap Navy Blue	25 nos.	The cap shall be navy blue in colour and made of gabardine fabric. It shall have a standard total depth of 3.5 inches, a flat top and a curved visor (peak) to provide shade and protection from the sun. The peak shall be curved and stiffened, with a plastic or patent leather underside. The cap shall have four (4) metal rimmed holes (eyelets) at the back for ventilation. A 0.5-inch-wide black leather strap shall be securely fastened to two small departmental pattern buttons placed just behind the corners of the peak. A sample can be seen at Police Headquarters, Aizawl during office hours. A sample can be seen at Police Headquarters, Aizawl during office hours.
15.	PT Shoe sneakers Brown	5800 prs	It must be in a sneaker or trainer style and should be brown in colour. The vamp should be made of knitted textile and the outsole should be made of EVA material. The midsole should be 3 cms thick and the height from the heel to the top line should be 10 cms. The heel should be at least 3 cms thick. The footwear should have a soft and comfortable inner lining, five pairs of eyelets and brown laces. It should also have a Memory Foam insole for better comfort. There should be internal stitching between the sole and the upper to provide extra strength and durability. Any difference in the colour of the logo or trademark should be subtle and not very noticeable. A sample can be seen at Police Headquarters, Aizawl during office hours.

16.	PT Shoe sneakers White	1800 prs.	It must be in a sneaker or trainer style and should be white in colour. The vamp should be made of knitted textile and the outsole should be made of EVA material. The midsole should be 3 cms thick and the height from the heel to the top line should be 10 cm. The heel should be at least 3 cms thick. The footwear should have a soft and comfortable inner lining, five pairs of eyelets, and white laces. It should also have a Memory Foam insole for better comfort. There should be internal stitching between the sole and the upper to provide extra strength and durability. Any difference in the colour of the logo or trademark should be subtle and not very noticeable. A sample can be seen at Police Headquarters, Aizawl during office hours.
17.	Reflector Jacket for Traffic	450 nos.	The jacket shall be a high visibility reflective jacket made of knitted polyester fabric. It shall meet EN ISO 20471 or an equivalent international standard. The jacket shall be neon green in colour. It shall have a sleeveless V-neck design with a front zipper. It shall have 50 mm wide silver retro reflective tape stitched around the body. The tape shall include two vertical stripes on the front, two vertical stripes on the back and two horizontal strips around the chest. The words, "TRAFFIC POLICE" shall be printed in navy blue in two lines in Arial Black font, on the left chest, with 'TRAFFIC' on the upper line and 'POLICE' below. The print shall measure 3.5 inches in length and 1 inch in height. The same words "TRAFFIC POLICE" shall also be printed in navy blue in two lines in Arial Black font on the upper back, with 'TRAFFIC' in the upper and 'POLICE' below. The print shall measure 8.5 inches in length and & 1.5 inches height. A sample can be seen at Police Headquarters, Aizawl during office hours.
18.	Ribbon Red & Blue	1440 mts.	The ribbon must be made of silk polyester fabric in fire red and navy blue colours. The ribbon must be divided equally into the two colours, with each colour covering 0.5 cm of the total ribbon width. A sample can be seen at Police Headquarters, Aizawl during office hours.
19.	Rifle Sling webbed black	4300 nos.	Tactical 2-point sling. Fits any rifle. Adjustable length. Full length not shorter than 50 inches. Shoulder padded. Strong and durable metal or PVC or plastic spring snap hook. Black in colour. A sample can be seen at Police Headquarters, Aizawl during office hours.
20.	Steel Kit Box	500 nos.	Not smaller than 28" in length, 15" in breadth and 11" in height. Tin sheet not thinner than .50 mm. Must have a carrying handle on each side and a locking facility. A sample can be seen at Police Headquarters, Aizawl during office hours.
21.	Terry Cotton Khaki Suit	22350 mts	The fabric must be at least 144 cms wide and the sample should be at least 50 cms in both length and width. It must feature the woven brand name along with the monogram. The colour should be Khaki (16-1106 TCX) and the fabric composition should consist of 70% polyester, 29% viscose and 2% spandex. The GSM must be less than 305. Additionally, the fabric should resist wrinkling and it should not fade easily in terms of shape or colour. A sample can be seen at Police Headquarters, Aizawl during office hours.
22.	Terry Cotton Navy Blue	750 mts.	At least 144 cm wide. Sample not smaller than half meter both in length and width and must bear woven name of the brand along the monogram. The colour should be Navy Blue (19D) and the fabric composition should consist of 10% cotton, 90% polyester and 2% spandex. The GSM must be less than 225. Additionally, the fabric should resist wrinkling and it should not fade easily in terms of shape or colour. A sample can be seen at Police Headquarters, Aizawl during office hours.

23.	Terry Cotton White for Traffic	750 mts.	At least 144 cm wide. Sample not smaller than half meter both in length and width and must bear woven name of the brand along the monogram. The colour should be White 11-0601 TCX) and the fabric composition should consist of 70% polyester, 29% viscose and 2% spandex. The GSM must be less than 305. Additionally, the fabric should resist wrinkling and it should not fae easily in terms of shape or colour. A sample can be seen at Police Headquarters, Aizawl during office hours.
24.	Title shoulder IRMZ	2150 prs	It should be made of chrome-plated metal and bear the abbreviation ' IRMZ ' in capital letters in ROCKWELL font, size 40, with a thickness of 3 mm. The letters should be cast together as one piece or joined by metal bars at the top and bottom to keep them properly aligned on the epaulet. Two hollow metal loops should be provided on the reverse side to securely attach it to the shoulder strap using cotter pins. A sample can be seen at Police Headquarters, Aizawl during office hours.
25.	Title shoulder IRMZ (MT)	150 prs.	It should be made of chrome-plated metal and bear the abbreviation IRMZ (MT) in capital letters in ROCKWELL font, size 40, with a thickness of 3 mm. The letters should be cast together as one piece or joined by metal bars at the top and bottom to keep them properly aligned on the epaulet. Two hollow metal loops should be provided on the reverse side to securely attach it to the shoulder strap using cotter pins. A sample can be seen at Police Headquarters, Aizawl during office hours.
26.	Title shoulder MAP	2150 prs.	It should be made of chrome-plated metal and bear the abbreviation MAP in capital letters in ROCKWELL font, size 48, with a thickness of 3 mm. The letters should be cast together as one piece or joined by metal bars at the top and bottom to keep them properly aligned on the epaulet. Two hollow metal loops should be provided on the reverse side to securely attach it to the shoulder strap using cotter pins. A sample can be seen at Police Headquarters, Aizawl during office hours.
27.	Title shoulder MAP (MT)	120 prs.	It should be made of chrome-plated metal and bear the abbreviation MAP (MT) in capital letters in ROCKWELL font, size 40, with a thickness of 3 mm. The letters should be cast together as one piece or joined by metal bars at the top and bottom to keep them properly aligned on the epaulet. Two hollow metal loops should be provided on the reverse side to securely attach it to the shoulder strap using cotter pins. A sample can be seen at Police Headquarters, Aizawl during office hours.
28.	Title shoulder MPRO	450 prs.	It should be made of chrome-plated metal and bear the abbreviation MPRO in capital letters in ROCKWELL font, size 40, with a thickness of 3 mm. The letters should be cast together as one piece or joined by metal bars at the top and bottom to keep them properly aligned on the epaulet. Two hollow metal loops should be provided on the reverse side to securely attach it to the shoulder strap using cotter pins. A sample can be seen at Police Headquarters, Aizawl during office hours.

29.	Title shoulder MPRO (MT)	25 prs.	It should be made of chrome-plated metal and bear the abbreviation MPRO (MT) in capital letters in ROCKWELL font, size 40, with a thickness of 3 mm. The letters should be cast together as one piece or joined by metal bars at the top and bottom to keep them properly aligned on the epaulet. Two hollow metal loops should be provided on the reverse side to securely attach it to the shoulder strap using cotter pins. A sample can be seen at Police Headquarters, Aizawl during office hours.
30.	Title shoulder MRP	3200 prs.	It should be made of chrome-plated metal and bear the abbreviation MRP in capital letters in ROCKWELL font, size 48, with a thickness of 3 mm. The letters should be cast together as one piece or joined by metal bars at the top and bottom to keep them properly aligned on the epaulet. Two hollow metal loops should be provided on the reverse side to securely attach it to the shoulder strap using cotter pins. A sample can be seen at Police Headquarters, Aizawl during office hours.
31.	Title shoulder MRP (MT)	300 prs.	It should be made of chrome-plated metal and bear the abbreviation MRP (MT) in capital letters in ROCKWELL font, size 40, with a thickness of 3 mm. The letters should be cast together as one piece or joined by metal bars at the top and bottom to keep them properly aligned on the epaulet. Two hollow metal loops should be provided on the reverse side to securely attach it to the shoulder strap using cotter pins. A sample can be seen at Police Headquarters, Aizawl during office hours.
32.	Title shoulder PTS	600 prs.	It should be made of chrome-plated metal and bear the abbreviation PTS in capital letters in ROCKWELL font, size 40, with a thickness of 3 mm. The letters should be cast together as one piece or joined by metal bars at the top and bottom to keep them properly aligned on the epaulet. Two hollow metal loops should be provided on the reverse side to securely attach it to the shoulder strap using cotter pins. A sample can be seen at Police Headquarters, Aizawl during office hours.
33.	Title shoulder PTS (MT)	15 prs.	It should be made of chrome-plated metal and bear the abbreviation PTS (MT) in capital letters in ROCKWELL font, size 40, with a thickness of 3 mm. The letters should be cast together as one piece or joined by metal bars at the top and bottom to keep them properly aligned on the epaulet. Two hollow metal loops should be provided on the reverse side to securely attach it to the shoulder strap using cotter pins. A sample can be seen at Police Headquarters, Aizawl during office hours.
34.	Traffic T-Shirt	450 nos.	Composed of two colours: upper portion white and lower portion navy blue. Polyester navy-blue collar with three-button placket. White coloured short sleeve. 0.5 inches navy blue ribbing with 2mm red piping between the sleeve and the ribbing. 0.5 inches red stripe across the chest. 0.5 inches gap between the red and navy-blue stripes across the chest. Traffic Police Logo (standard size) printed on the left of the chest. The words, "TRAFFIC POLICE" (font name: Square 721 BT Bold, font size: length – 4 inches & height – 1.5 inches) printed in two lines, viz; 'TRAFFIC' on the upper and 'POLICE' below in navy blue on the right chest. The words "TRAFFIC POLICE"

			(font name: Square 721 BT Bold, font size: length – 9 inches & height – 3.5 inches) printed in two lines 'TRAFFIC' in the upper and 'POLICE' below in navy blue. A sample can be seen at Police Headquarters, Aizawl during office hours.
35.	Utility Pouch	4300 nos.	The vest shall be made of Cordura nylon or polyester fabric with a water-resistant PU/PVC coating. The colour shall be Jet Black. It shall have a durable, abrasion-resistant and breathable mesh lining on the inside. The vest shall be adjustable on both sides using nylon straps and locking buckles, suitable for waist sizes from 85 cms to 130 cms. The shoulder straps shall also be adjustable and fitted with non-slip shoulder panels and hook and loop fasteners to adjust the vest height. The front and rear panels shall be fitted with standard horizontal MOLLE webbing loops for secure attachment of equipment and accessories. The vest shall include three magazine pouches positioned at the centre of the lower front panel. These pouches shall have an adjustable top flap with hook and loop closure and additional heavy duty buckle straps. Two side utility pockets with modular loop webbing shall also be provided for carrying communication devices or other compact electronic equipment. The total weight of the vest shall not exceed 1 kg to reduce user fatigue during prolonged use. A sample can be seen at Police Headquarters, Aizawl during office hours.
36.	Warm Jacket Camouflage	4300 nos.	The colour and pattern of the jacket should be Mizoram Police Woodland Camouflage Pattern and it must have a high-rise collar/integrated hood. The front of the jacket shall have a full length high-quality vertical zipper, with a 2 ½ inches wide flap covering the zipper featuring five (5) fasteners/snap buttons. A 4-inches long Velcro strip for attaching a name plate shall be sewn on the right chest and there shall be a horizontal seam/cut directly below the name plate Velcro. There shall be two pockets on the right and left chest, slanted at a 55° angle; these pockets must be concealed with velcro fasteners inside. There shall also be two rectangular pockets at the waist level on the right and left sides. Each shall have a flap and a button in the center. Both sleeve ends shall have 2 ¼ inches wide cuffs, equipped with jacket rapid locks for adjustment. Epaulets shall be placed on both shoulders, sewn at the shoulder end and fastened with a button at the neck end. The interior shall be lined with Polar fleece material/fabric. There shall be an internal pocket on both right and left sides, at the waist area. All visible stitching on the jacket must be double-stitched. A sample can be seen at Police Headquarters, Aizawl during office hours.
37.	Water proof Suit Navy Blue	450 nos.	The rain suit consists of a waterproof jacket and waterproof trousers made from rubberized polyester. All the internal stitching in the jacket and trousers is heat-sealed or taped to prevent water from leaking through the stitched areas. The colour should be Navy blue (19-4024 TCX). The words, "POLICE" imprinted in Arial Black font on the back with white reflector material. Height of each letter 4.5 cms and the whole word 25.5 cms in length. Mizoram Police Logo printed on the left chest (size 8 cms in height and 7 cms in width). A sample of it and Mizoram Police Logo can be seen at Police Headquarters, Aizawl during office hours.
38.	Waterproof Suit Khaki	7450 nos.	The rain suit consists of a waterproof jacket and waterproof trousers made from rubberized polyester. All the internal stitching in the jacket and trousers is heat-sealed or taped to prevent water from leaking through the stitched areas. The colour should be Khaki (16-1106 TCX). The words, "POLICE" imprinted in Arial Black font on the back with silver reflector material. Height of each letter 4.5 cms and the whole word 25.5 cms in length. Mizoram Police Logo printed on the left chest (size 8 cms in height and 7cms in width). A sample of it and Mizoram Police Logo can be seen at Police Headquarters, Aizawl during office hours.

39.	Web Belt	4300 nos.	It should be black in colour with black brass buckles. It should be 2 inches wide and at least 52 inches long. A sample may be seen at the Police Headquarters, Aizawl, during office hours.
-----	----------	-----------	--



28/9/20

(LALRINAWMA TRAITHE) AIGP (P&L)
for Director General of Police,
Mizoram: Aizawl.