

**Corrigendum-2**

**Reference: RFP No. CRM/SCRB/CCTNS/CONN/1/18 dated: 25<sup>th</sup> March 2020**

**Selection of Network Service Provider for Supply, Installation and Commissioning of Network Connectivity to CCTNS Project, Mizoram**

SL NO	RFP No.	Page	RFP Reference	Clause	Addition / Modification / Clarification/Revision	Change Type
1	5/9		Fact Sheet/ Important dates	Last date of submission of proposal, EMD & Bid fee	Last date of submission of proposal, EMD & Bid fee will be 29 <sup>th</sup> May 2020 12.00 PM	Modification
2	5/9		Fact Sheet/ Important dates	Opening of Bid	29 <sup>th</sup> May 2020 12.00 PM	Modification
3	14		Scope of work	DC Backhaul Link: The selected Bidder will provide aggregated 10 Mbps MPLS link at Data Centre with redundant Gigabit Ethernet port & Fiber Port each to uplink with CCTNS Mizoram DC Network equipment. The bidder should ensure that the end network equipment at DC end have necessary port provision (both Ethernet & Fiber).	The bidder has to make provision for providing the WAN for both Ethernet and Fiber.	Clarification
4	--		--	--	At the end locations the space for the Rack will be provided by Mizoram police however Rack for the equipment has to be provided by the bidder. Moreover, the installation and commissioning of the Rack at the PS/HOs has to be carried out by the bidder.	Addition
5	22		3.3. TECHNICAL EVALUATION CRITERIA & SCORE MATRIX	Proposed Connectivity criteria as per Scope of work for end user locations (format given in Annexure 2). MPLS connectivity at end user locations: 1) If connectivity proposed with RF/OFC < 70 % and <=80%, 30 Marks 2) If connectivity proposed with RF/OFC > 80 % and <=90%, 35 Marks 3) If connectivity proposed with RF/OFC >90% and <=100%, 40 Marks	Proposed Connectivity criteria as per Scope of work for end user locations (format given in Annexure 2). MPLS connectivity at end user locations: 1) If connectivity proposed with RF/OFC > 70 % and <=80%, 30 Marks 2) If connectivity proposed with RF/OFC > 80 % and <=90%, 35 Marks 3) If connectivity proposed with RF/OFC >90% and <=100%, 40 Marks	Modification
6	30		Compliance Sheet-A	Power of Attorney for authorized signatory of the bid document.	It is to clarify the POA created with reference of RFP published on 28 <sup>th</sup> Feb 2020 will be accepted. However, the bidders have to ensure that the POA serves the purpose as per the conditions/ requirements of the revised RFP.	Clarification

**Corrigendum-2**

**Reference: RFP No. CRM/SCRB/CCTNS/CONN/1/18 dated: 25<sup>th</sup> March 2020**

**Selection of Network Service Provider for Supply, Installation and Commissioning of Network Connectivity to CCTNS Project, Mizoram**

SL NO	RFP No.	Page	RFP Reference	Clause	Addition / Modification / Clarification/Revision	Change Type
7	32		Compliance Sheet-A	The bidder / or its consortium partner should have been in MPLS VPN business during the last five years from the date of tender and shall have independently executed similar Data connectivity to Govt/PSU / larger private banking & finance sectors clients in Mizoram	The bidder / or its consortium partner should have been in MPLS VPN business during the last five years from the date of tender and shall have independently executed similar Data connectivity to Govt/PSU / larger private banking & finance sectors clients in India.	Modification
8	46		ANNEXURE III - FINANCIAL PROPOSAL FORMAT	--	The number of locations in the price bid format is the number of locations feasible with each type of connectivity (RF/OFC/VSAT).	Clarification
9	25		GENERAL TERMS AND CONDITIONS OF THE BID	DELAYS IN THE PERFORMANCE OF SUPPLIER'S OBLIGATION: Any delay by the supplier in the performance of its delivery obligations shall render the supplier liable to any or all of the following sanctions – forfeiture of its performance security, imposition of liquidated damages and / or termination of the work order for default.	If such delay is due to reasons out of the Service provider's reasonable control or reasons attributable to the Customer, the Services Provider should not be held liable.	Addition

Corrigendum-2

Reference: RFP No. CRM/SCRB/CCTNS/CONN/1/18 dated: 25<sup>th</sup> March 2020

Selection of Network Service Provider for Supply, Installation and Commissioning of Network Connectivity to CCTNS Project, Mizoram

Updated of Latitude and Longitude of some of the locations:

Sl. No	District Name	Site Name	Category of site	LATITUDE	LONGITUDE
1.	Aizawl	State Data Centre, Treasury Square Aizawl	Data Centre	23.7247326	92.7191453
2.	Aizawl	Darlawn Police Station, SDPO Sakawrdai, Aizawl 796111	Police Station	24.005975	92.924746
3.	Saiha	SP Saiha, District Head Quarters Saiha 796901	Higher Office	22.487682	92.980759
4.	Lawngtlai	SP Lawngtlai, District Head Quarters Lawngtlai 796891	Higher Office	22.539030	92.898395
5.	Aizawl	Saitual Police Station, SDPO Aizawl North, Aizawl 796261	Police Station	23.677455	92.962569
6.	Aizawl	Siatsuk Police Station, SDPO Aizawl South, Aizawl 796230	Police Station	23.4033292	92.7471366
7.	Champhai	Champhai Police Station, SDPO Champhai, Champhai 796321	Police Station	23.456571	93.328193
8.	Kolasib	Kolasib Police Control Room, Kolasib 796081	Higher Office	24.209242	92.684157
9.	Saiha	Saiha Training Centre, District Training Center, Saiha 796901	Higher Office	22.487682	92.980759
10.	Saiha	Saiha Police Control Room, Saiha 796901	Higher Office	22.487682	92.980759
11.	Lunglei	Hnahthial District Head Quarters, Lunglei 796701	Higher Office	22.970679	92.926880
12.	Lunglei	Hnahthial Police Control Room, Lunglei 796571	Higher Office	22.970679	92.926880

*Handwritten signature and date*  
23/4/20

(L.R.DINGLIANA) IPS  
Superintendent of Police  
CID Crime, Aizawl Mizoram.